

L Number	Hits	Search Text	DB	Time stamp
3	11675	((717/168-178) or (709/202,223-225,228,244) or (713/201) or (345/740)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:33
4	131	((717/168-178) or (709/202,223-225,228,244) or (713/201) or (345/740)).CCLS.) and (backup or roll-back or (restor\$4 and back adj up) or (roll-out and commit\$4)) and (install\$4 or download\$4) and (firewall and host\$3) and ((request\$4 or notif\$4) near4 user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:35
5	81	((717/168-178) or (709/202,223-225,228,244) or (713/201) or (345/740)).CCLS.) and (backup or roll-back or (restor\$4 and back adj up) or (roll-out and commit\$4)) and (install\$4 or download\$4) and (firewall and host\$3) and ((request\$4 or notif\$4) near4 user)) and (@ad<=20010703 or @rlad<=20010703) and ((server or host) same (upgrad\$4 or alter\$4 or synchroni\$4 or modif\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:36
6	10	((717/168-178) or (709/202,223-225,228,244) or (713/201) or (345/740)).CCLS.) and (backup or roll-back or (restor\$4 and back adj up) or (roll-out and commit\$4)) and (install\$4 or download\$4) and (firewall and host\$3) and ((request\$4 or notif\$4) near4 user)) and (@ad<=20010703 or @rlad<=20010703) and ((server or host) same (upgrad\$4 or alter\$4 or synchroni\$4 or modif\$4))) and (hosting near2 (serv\$4 or server or client or machine))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:53
10	3	(707/10).ccls. and firewall and (request\$4 near4 (access near6 (modif\$5 or change))) and (backup or synchroni\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:56

L Number	Hits	Search Text	DB	Time stamp
3	11675	((717/168-178) or (709/202,223-225,228,244) or (713/201) or (345/740)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:33
4	131	((717/168-178) or (709/202,223-225,228,244) or (713/201) or (345/740)).CCLS.) and (backup or roll-back or (restor\$4 and back adj up) or (roll-out and commit\$4)) and (install\$4 or download\$4) and (firewall and host\$3) and ((request\$4 or notif\$4) near4 user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:35
5	81	((717/168-178) or (709/202,223-225,228,244) or (713/201) or (345/740)).CCLS.) and (backup or roll-back or (restor\$4 and back adj up) or (roll-out and commit\$4)) and (install\$4 or download\$4) and (firewall and host\$3) and ((request\$4 or notif\$4) near4 user)) and (@ad<=20010703 or @rlad<=20010703) and ((server or host) same (upgrad\$4 or alter\$4 or synchroni\$4 or modif\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:36
6	10	((717/168-178) or (709/202,223-225,228,244) or (713/201) or (345/740)).CCLS.) and (backup or roll-back or (restor\$4 and back adj up) or (roll-out and commit\$4)) and (install\$4 or download\$4) and (firewall and host\$3) and ((request\$4 or notif\$4) near4 user)) and (@ad<=20010703 or @rlad<=20010703) and ((server or host) same (upgrad\$4 or alter\$4 or synchroni\$4 or modif\$4))) and (hosting near2 (serv\$4 or server or client or machine))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:37
-	0	(@ad<=20010703 or @rlad<=20010703) and ((network adj2 (server or host)) same (upgrad\$4 near5 configuration)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:06
-	6	(@ad<=20010703 or @rlad<=20010703) and (((server or host)) same (upgrad\$4 near5 configuration)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 16:52
-	294	(hosting near2 (service or server)) and (distribut\$4 near3 (data or content or resource)) and ((install\$6 or updat\$4 or upgrad\$4) near3 (software or program or script))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:06
-	73	(@ad<=20010703 or @rlad<=20010703) and ((network adj2 (server or host)) same (upgrad\$4 and configuration))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:31
-	1	((hosting near2 (service or server)) and (distribut\$4 near3 (data or content or resource)) and ((install\$6 or updat\$4 or upgrad\$4) near3 (software or program or script))) and ((@ad<=20010703 or @rlad<=20010703) and ((network adj2 (server or host)) same (upgrad\$4 and configuration)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:06

-	0	((hosting near2 (service or server)) and (distribut\$4 near3 (data or content or resource)) and ((install\$6 or updat\$4 or upgrad\$4) near3 (software or program or script))) or ((@ad<=20010703 or @rlad<=20010703) and ((network adj2 (server or host)) same (upgrad\$4 and configuration)))) and (host\$3 adj2 client) and POD and (upgrad\$4 near4 resource)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:28
-	1	((hosting near2 (service or server)) and (distribut\$4 near3 (data or content or resource)) and ((install\$6 or updat\$4 or upgrad\$4) near3 (software or program or script))) or ((@ad<=20010703 or @rlad<=20010703) and ((network adj2 (server or host)) same (upgrad\$4 and configuration)))) and (host\$3 adj2 client) and "POD" and (upgrad\$4 and install\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:29
-	1	((hosting near2 (service or server)) and (distribut\$4 near3 (data or content or resource)) and ((install\$6 or updat\$4 or upgrad\$4) near3 (software or program or script))) and (Tivoli and MSI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:30
-	1	((hosting near2 (service or server)) and (distribut\$4 near3 (data or content or resource)) and ((install\$6 or updat\$4 or upgrad\$4) near3 (software or program or script))) and (Tivoli and installer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:30
-	0	((@ad<=20010703 or @rlad<=20010703) and ((network adj2 (server or host)) same (upgrad\$4 and configuration))) and (Tivoli and installer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:30
-	1	(hosting near2 serv\$3) and (Tivoli and installer) and firewall	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:31
-	18	(hosting near2 serv\$3) and installer and firewall	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:31
-	6	((hosting near2 serv\$3) and installer and firewall) and (@ad<=20010703 or @rlad<=20010703) and ((server or host) same (upgrad\$4 and configuration))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:53
-	1	(hosting adj2 serv\$3) and (installation adj2 script) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:48
-	3	(hosting adj2 serv\$3) and (installation adj2 program) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:52
-	7	" POD " and (hosting adj2 (serv\$4 or client))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:53
-	1	(" POD " and (hosting adj2 (serv\$4 or client))) and (@ad<=20010703 or @rlad<=20010703) and (upgrad\$4 and instal\$5 or download\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 16:54

-	4	(" POD " and (hosting adj2 (serv\$4 or client))) and (@ad<=20010703 or @rlad<=20010703) not ((" POD " and (hosting adj2 (serv\$4 or client))) and (@ad<=20010703 or @rlad<=20010703) and (upgrad\$4 and (instal\$5 or download\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 17:00
-	32	(host\$3 serv\$3) and ((client or server) adj2 (POD or pod))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 17:00
-	25	((host\$3 serv\$3) and ((client or server) adj2 (POD or pod))) and (@ad<=20010703 or @rlad<=20010703) not Intel.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 17:00
-	2	((host\$3 serv\$3) and ((client or server) adj2 (POD or pod))) and (@ad<=20010703 or @rlad<=20010703) not Intel.as.) and (upgrad\$4 and install\$4 and (backup or rollback))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 17:04
-	23	((host\$3 serv\$3) and ((client or server) adj2 (POD or pod))) and (@ad<=20010703 or @rlad<=20010703) not Intel.as.) not (((host\$3 serv\$3) and ((client or server) adj2 (POD or pod))) and (@ad<=20010703 or @rlad<=20010703) not Intel.as.) and (upgrad\$4 and install\$4 and (backup or rollback)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 17:31
-	536	(host\$3 adj2 (machine or server or client or service)) and ((upgrad\$4 or alter\$4 or updat\$4 or synchroni\$5) near4 ((configuration or network or client or profile) near3 (data or resource)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 17:34
-	99	firewall and (hosting adj2 (machine or server or station)) and (installation or download\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 17:35
-	95	((host\$3 adj2 (machine or server or client or service)) and ((upgrad\$4 or alter\$4 or updat\$4 or synchroni\$5) near4 ((configuration or network or client or profile) near3 (data or resource)))) and (@ad<=20010703 or @rlad<=20010703) and (backup or rollback)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:01
-	3	((host\$3 adj2 (machine or server or client or service)) and ((upgrad\$4 or alter\$4 or updat\$4 or synchroni\$5) near4 ((configuration or network or client or profile) near3 (data or resource)))) and (@ad<=20010703 or @rlad<=20010703) and (backup or rollback)) and (upgrad\$4 near8 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 17:56
-	28	6173311.URPN.	USPAT	2004/06/12 17:55
-	10	6173311.URPN. and (upgrad\$4 near8 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 17:59

-	19	((host\$3 adj2 (machine or server or client or service)) and ((upgrad\$4 or alter\$4 or updat\$4 or synchroni\$5) near4 ((configuration or network or client or profile) near3 (data or resource)))) and (@ad<=20010703 or @rlad<=20010703) and (((hosting near2 (service or server)) and (distribut\$4 near3 (data or content or resource)) and ((install\$6 or updat\$4 or upgrad\$4) near3 (software or program or script))) or ((@ad<=20010703 or @rlad<=20010703) and ((network adj2 (server or host)) same (upgrad\$4 and configuration))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:06
-	7	(host\$3 adj2 (agent or machine or server)) and ((user or client or customer) near6 (request\$3 adj2 upgrad\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:05
-	5	((host\$3 adj2 (agent or machine or server)) and ((user or client or customer) near6 (request\$3 adj2 upgrad\$4))) and (@ad<=20010703 or @rlad<=20010703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:20
-	1416426	((user or customer or client) request near3 upgrad\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:18
-	2870	(synchroniz\$4 or upgrade) near4 (server or (network adj2 (resource or content)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:17
-	70	((user or customer or client) request near3 upgrad\$4)) and ((synchroniz\$4 or upgrade) near4 (server or (network adj2 (resource or content)))) and (hosting adj2 (service or server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:20
-	80	((user or customer or client) near2 request) near3 upgrad\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:19
-	101	((user or customer or client) near2 request\$3) near3 upgrad\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:19
-	70	((synchroniz\$4 or upgrade) near4 (server or (network adj2 (resource or content)))) and (hosting adj2 (service or server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 19:31
-	36	(((synchroniz\$4 or upgrade) near4 (server or (network adj2 (resource or content)))) and (hosting adj2 (service or server))) and (@ad<=20010703 or @rlad<=20010703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:20
-	26	((((synchroniz\$4 or upgrade) near4 (server or (network adj2 (resource or content)))) and (hosting adj2 (service or server))) and (@ad<=20010703 or @rlad<=20010703)) and ((instal\$6 or back-out or roll-back) or (backup and restor\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:38

-	26	((((synchroniz\$4 or upgrade) near4 (server or (network adj2 (resource or content)))) and (hosting adj2 (service or server))) and (@ad<=20010703 or @rlad<=20010703)) and ((instal\$6 or back-out or roll-back) or (backup and restor\$4))) not (Intel.as. and @pd>=20010703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:23
-	26	((((synchroniz\$4 or upgrade) near4 (server or (network adj2 (resource or content)))) and (hosting adj2 (service or server))) and (@ad<=20010703 or @rlad<=20010703)) and ((instal\$6 or back-out or roll-back) or (backup and restor\$4))) not (Intel.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:36
-	16	("5748897" "5774660" "5850517" "6014698" "6055562" "6128660" "6148327" "6157941" "6173311" "6175869" "6249801" "6256771" "6279001" "6317794" "6327622" "6473791").PN.	USPAT	2004/06/12 18:35
-	8	((("5748897" "5774660" "5850517" "6014698" "6055562" "6128660" "6148327" "6157941" "6173311" "6175869" "6249801" "6256771" "6279001" "6317794" "6327622" "6473791").PN.) and (host\$4 near3 (service or server or client)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:38
-	4	((("5748897" "5774660" "5850517" "6014698" "6055562" "6128660" "6148327" "6157941" "6173311" "6175869" "6249801" "6256771" "6279001" "6317794" "6327622" "6473791").PN.) and (host\$4 near3 (service or server or client))) and ((instal\$6 or back-out or roll-back) or (backup and restor\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 18:38
-	15	(US-6173311-\$ or US-6622157-\$ or US-6327622-\$ or US-6279001-\$ or US-6055562-\$ or US-6748447-\$).did. or (US-20040098449-\$ or US-20020069369-\$ or US-20010047406-\$ or US-20010047414-\$ or US-20020078203-\$ or US-20020033843-\$).did. or (WO-200060451-\$ or US-6073172-\$ or WO-200017729-\$).did.	USPAT; US-PGPUB; DERWENT	2004/06/12 19:31
-	11	((US-6173311-\$ or US-6622157-\$ or US-6327622-\$ or US-6279001-\$ or US-6055562-\$ or US-6748447-\$).did. or (US-20040098449-\$ or US-20020069369-\$ or US-20010047406-\$ or US-20010047414-\$ or US-20020078203-\$ or US-20020033843-\$).did. or (WO-200060451-\$ or US-6073172-\$ or WO-200017729-\$).did.) and ((Tivoli and MSI) or (host\$4 near2 (service or server or client or web)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 19:32